



## Certificate of Analysis

Compliance Test

**Client Information:**

**Anytime Seltzer**  
318 Massachusetts Ave NE  
Washington, Washington 20002

Batch # NBC005  
Batch Date: 2025-07-21  
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing Company

Order # ANY250827-040005  
Order Date: 2025-08-27  
Sample # AAHA961

Sampling Date: 2025-09-02  
Lab Batch Date: 2025-09-02  
Completion Date: 2025-09-07

Volume: 355 ml  
Net Weight per Serving: 355 ml

Serving Number: 1.00000



Product Image



**Potency  
Tested**



**Heavy Metals  
Passed**



**Pesticides  
Passed**



**Residual Solvents  
Passed**



**Pathogenic  
Passed**



Microbiology Petrifilm  
**Passed**



### Delta 8/Delta 10 Potency 13 - (LCUV)

Specimen Weight: 358000.000 mg

### Tested

SOP13.001 (LCMS)

| Analyte          | LOD<br>(mg/g) | LOQ<br>(%) | Result<br>(µg/ml) | (%)     |
|------------------|---------------|------------|-------------------|---------|
| CBD              | 5.40E-5       | 0.0015     | 20.900            | 0.00209 |
| Delta-9 THC      | 1.30E-5       | 0.0015     | 20.900            | 0.00209 |
| CBC              | 1.80E-5       | 0.0015     | <LOQ              | <LOQ    |
| CBDA             | 1.00E-5       | 0.0015     | <LOQ              | <LOQ    |
| CBDV             | 6.50E-5       | 0.0015     | <LOQ              | <LOQ    |
| CBG              | 2.48E-4       | 0.0015     | <LOQ              | <LOQ    |
| CBGA             | 8.00E-5       | 0.0015     | <LOQ              | <LOQ    |
| CBN              | 1.40E-5       | 0.0015     | <LOQ              | <LOQ    |
| Delta-10 THC     | 3.00E-6       | 0.0015     | <LOQ              | <LOQ    |
| Delta-8 THC      | 2.60E-5       | 0.0015     | <LOQ              | <LOQ    |
| Delta6a10a-THC   | 8.47E-5       | 0.0015     | <LOQ              | <LOQ    |
| THCA-A           | 3.20E-5       | 0.0015     | <LOQ              | <LOQ    |
| THCV             | 7.00E-6       | 0.0015     | <LOQ              | <LOQ    |
| Total Active THC |               |            | 0.021             | 0.00209 |
| Total Active CBD |               |            | 0.021             | 0.00209 |



### Potency Summary

|                                                     |                                                 |
|-----------------------------------------------------|-------------------------------------------------|
| Total Delta 8 per Serving<br>ND                     | Total Delta 10 per Serving<br>ND                |
| Delta 9 THC per Serving<br>0.00209% 7.42mg          | Total Active CBD per Serving<br>0.00209% 7.42mg |
| Total CBG per Serving<br>ND                         | Total CBN per Serving<br>ND                     |
| Total Cannabinoids per Serving<br>0.00418% 14.839mg | Total Active CBD Per Package<br>0.00209% 7.42mg |
| Total Active THC per Serving<br>0.00209% 7.42mg     | Total Active THC Per Package<br>0.00209% 7.42mg |
| Delta 9 THC per Package<br>0.00209% 7.42mg          |                                                 |

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.867), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta6a10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THCV + (THCVA \* 0.877), CBG Total = (CBGA \* 0.878) + CBG, CBN Total = (CBNA \* 0.876) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

**Client Information:**

**Anytime Seltzer**  
318 Massachusetts Ave NE  
Washington, Washington 20002

Batch # NBC005  
Batch Date: 2025-07-21  
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing  
Company

Order # ANY250827-040005

Order Date: 2025-08-27

Sample # AAHA961

Sampling Date: 2025-09-02

Lab Batch Date: 2025-09-02

Completion Date: 2025-09-07

Volume: 355 ml

Net Weight per Serving: 355 mg

Serving Number: 1.00000



**Microbiology TYM (Petrifilm/Plating) - LA**

Specimen Weight: 1005.700 mg

**Passed**

SOP13.003 (Petrifilm)

Dilution Factor: 1.000

| Analyte    | LOQ<br>(cfu/g) | Action Level<br>(cfu/g) | Result<br>(cfu/g) |
|------------|----------------|-------------------------|-------------------|
| Yeast/Mold | 10000          | 10000                   | <10000            |



**Pathogenic SE (qPCR)**


Specimen Weight: 1017.800 mg

**Passed**

SOP13.029  
(qPCR)

Dilution Factor: 1.000

| Analyte | Result<br>(cfu/g) | Analyte    | Result<br>(cfu/g) |
|---------|-------------------|------------|-------------------|
| E.Coli  | Absence in 1g     | Salmonella | Absence in 1g     |



Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

**Client Information:**

**Anytime Seltzer**  
318 Massachusetts Ave NE  
Washington, Washington 20002

Batch # NBC005  
Batch Date: 2025-07-21  
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing  
Company

Order # ANY250827-040005

Order Date: 2025-08-27

Sample # AAHA961

Sampling Date: 2025-09-02

Lab Batch Date: 2025-09-02

Completion Date: 2025-09-07

Volume: 355 ml

Net Weight per Serving: 355 mg

Serving Number: 1.00000



### Heavy Metals - LA

Specimen Weight: 252.800 mg

**Passed**  
SOP13.048 (ICP-MS)

Dilution Factor: 197.785

| Analyte      | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte      | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------|-----------|-----------|--------------------|--------------|--------------|-----------|-----------|--------------------|--------------|
| Arsenic (As) | 0.005     | 0.1       | 10                 | <LOQ         | Lead (Pb)    | 0.006     | 0.1       | 10                 | <LOQ         |
| Cadmium (Cd) | 0.001     | 0.1       | 4.1                | <LOQ         | Mercury (Hg) | 0.012     | 0.1       | 2                  | <LOQ         |



### Residual Solvents - LA (CBD)

Specimen Weight: 17.800 mg

**Passed**  
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|--------------------|-----------|-----------|--------------------|--------------|
| 1,1-Dichloroethene | 0.009     | 0.16      | 8                  | <LOQ         | Heptane            | 0.001     | 1.39      | 500                | <LOQ         |
| 1,2-Dichloroethane | 0.000     | 0.04      | 5                  | <LOQ         | Hexane             | 0.068     | 1.17      | 10                 | <LOQ         |
| Acetone            | 0.015     | 2.08      | 5000               | <LOQ         | Isopropyl alcohol  | 0.005     | 1.39      | 500                | <LOQ         |
| Acetonitrile       | 0.060     | 1.17      | 410                | <LOQ         | Methanol           | 0.001     | 0.69      | 3000               | <LOQ         |
| Benzene            | 0.000     | 0.02      | 1                  | <LOQ         | Methylene chloride | 0.003     | 2.43      | 600                | <LOQ         |
| Butanes            | 0.417     | 2.5       | 800                | <LOQ         | Pentane            | 0.037     | 2.08      | 5000               | <LOQ         |
| Chloroform         | 0.000     | 0.04      | 60                 | <LOQ         | Propane            | 0.031     | 5.83      | 2100               | <LOQ         |
| Ethanol            | 0.002     | 2.78      | 5000               | 127          | Toluene            | 0.001     | 2.92      | 1                  | <LOQ         |
| Ethyl Acetate      | 0.001     | 1.11      | 5000               | <LOQ         | Total Xylenes      | 0.000     | 2.92      | 1                  | <LOQ         |
| Ethyl Ether        | 0.005     | 1.39      | 5000               | <LOQ         | Trichloroethylene  | 0.001     | 0.49      | 80                 | <LOQ         |
| Ethylene Oxide     | 0.004     | 0.1       | 5                  | <LOQ         |                    |           |           |                    |              |

*Aixia Sun*

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



## Certificate of Analysis

Compliance Test

**Client Information:**

**Anytime Seltzer**  
318 Massachusetts Ave NE  
Washington, Washington 20002

Batch # NBC005  
Batch Date: 2025-07-21  
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing Company

Order # ANY250827-040005  
Order Date: 2025-08-27  
Sample # AAHA961

Sampling Date: 2025-09-02  
Lab Batch Date: 2025-09-02  
Completion Date: 2025-09-07

Volume: 355 ml  
Net Weight per Serving: 355 mg

Serving Number: 1.00000

**Pesticides - LA**  
Specimen Weight: 617.100 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.430

| Analyte            | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) | Analyte                             | LOD (ppm) | LOQ (ppm) | Action Level (ppm) | Result (ppm) |
|--------------------|-----------|-----------|--------------------|--------------|-------------------------------------|-----------|-----------|--------------------|--------------|
| Abamectin          | 0.000     | 0.009     | 0.3                | <LOQ         | Hexythiazox                         | 0.000     | 0.0096    | 2                  | <LOQ         |
| Acephate           | 0.000     | 0.0096    | 5                  | <LOQ         | Imazail                             | 0.001     | 0.0096    | 0                  | <LOQ         |
| Acequinocyl        | 0.001     | 0.0096    | 4                  | <LOQ         | Imidacloprid                        | 0.000     | 0.0096    | 3                  | <LOQ         |
| Acetamiprid        | 0.000     | 0.0096    | 5                  | <LOQ         | Kresoxim Methyl                     | 0.000     | 0.0096    | 1                  | <LOQ         |
| Aldicarb           | 0.000     | 0.0096    | 0                  | <LOQ         | Malathion                           | 0.000     | 0.0096    | 5                  | <LOQ         |
| Azoxystrobin       | 0.001     | 0.0096    | 40                 | <LOQ         | Metaxyl                             | 0.001     | 0.0096    | 15                 | <LOQ         |
| Bifenazate         | 0.000     | 0.0096    | 5                  | <LOQ         | Methiocarb                          | 0.000     | 0.0096    | 0                  | <LOQ         |
| Bifenthrin         | 0.000     | 0.0096    | 0.5                | <LOQ         | Methomyl                            | 0.000     | 0.0096    | 0.1                | <LOQ         |
| Boscalid           | 0.000     | 0.0096    | 10                 | <LOQ         | methyl-Parathion                    | 0.003     | 0.0096    | 0                  | <LOQ         |
| Captan             | 0.009     | 0.048     | 5                  | <LOQ         | Mevinphos                           | 0.001     | 0.0096    | 0                  | <LOQ         |
| Carbaryl           | 0.000     | 0.0096    | 0.5                | <LOQ         | Myclobutanil                        | 0.001     | 0.0096    | 9                  | <LOQ         |
| Carbofuran         | 0.000     | 0.0096    | 0                  | <LOQ         | Naled                               | 0.000     | 0.0096    | 0.5                | <LOQ         |
| Chlorantranilprole | 0.000     | 0.0096    | 40                 | <LOQ         | Oxamyl                              | 0.000     | 0.0096    | 0.2                | <LOQ         |
| Chlorfenapyr       | 0.003     | 0.0096    | 0.1                | <LOQ         | Paclobutrazol                       | 0.000     | 0.0096    | 0                  | <LOQ         |
| Chlorpyrifos       | 0.000     | 0.0096    | 0                  | <LOQ         | Pentachloronitrobenzen (Quintozene) | 0.005     | 0.0096    | 0.2                | <LOQ         |
| Clofentezine       | 0.000     | 0.0096    | 0.5                | <LOQ         | Permethrin                          | 0.001     | 0.0096    | 20                 | <LOQ         |
| Coumaphos          | 0.000     | 0.0096    | 0                  | <LOQ         | Phosmet                             | 0.000     | 0.0096    | 0.2                | <LOQ         |
| Cyfluthrin         | 0.008     | 0.048     | 1                  | <LOQ         | Piperonylbutoxide                   | 0.000     | 0.0096    | 8                  | <LOQ         |
| Cypermethrin       | 0.001     | 0.0096    | 1                  | <LOQ         | Prallethrin                         | 0.001     | 0.0096    | 0.4                | <LOQ         |
| Daminozide         | 0.002     | 0.0096    | 0                  | <LOQ         | Propiconazole                       | 0.000     | 0.0096    | 20                 | <LOQ         |
| Diazinon           | 0.001     | 0.0096    | 0.2                | <LOQ         | Propoxur                            | 0.000     | 0.0096    | 0                  | <LOQ         |
| Dichlorvos         | 0.000     | 0.0096    | 0                  | <LOQ         | Pyrethrins                          | 0.000     | 0.0014    | 1                  | <LOQ         |
| Dimethoate         | 0.000     | 0.0096    | 0                  | <LOQ         | Pyridaben                           | 0.000     | 0.0096    | 3                  | <LOQ         |
| Dimethomorph       | 0.000     | 0.0096    | 20                 | <LOQ         | Spinetoram                          | 0.000     | 0.0096    | 3                  | <LOQ         |
| Ethoprophos        | 0.000     | 0.0096    | 0                  | <LOQ         | Spinosad                            | 0.000     | 0.00239   | 3                  | <LOQ         |
| Etofenprox         | 0.000     | 0.0096    | 0                  | <LOQ         | Spiromesifen                        | 0.000     | 0.0096    | 12                 | <LOQ         |
| Etoazole           | 0.001     | 0.0096    | 1.5                | <LOQ         | Spirotetramat                       | 0.000     | 0.0096    | 13                 | <LOQ         |
| Fenhexamid         | 0.001     | 0.0096    | 10                 | <LOQ         | Spiroxamine                         | 0.000     | 0.0096    | 0                  | <LOQ         |
| Fenoxycarb         | 0.000     | 0.0096    | 0                  | <LOQ         | Tebuconazole                        | 0.000     | 0.0096    | 2                  | <LOQ         |
| Fenpyroximate      | 0.000     | 0.0096    | 2                  | <LOQ         | Thiacloprid                         | 0.000     | 0.0096    | 0                  | <LOQ         |
| Fipronil           | 0.001     | 0.0096    | 0.1                | <LOQ         | Thiamethoxam                        | 0.000     | 0.0096    | 4.5                | <LOQ         |
| Flonicamid         | 0.000     | 0.0096    | 2                  | <LOQ         | Trifloxystrobin                     | 0.000     | 0.0096    | 30                 | <LOQ         |
| Fludioxonil        | 0.001     | 0.0096    | 30                 | <LOQ         |                                     |           |           |                    |              |

Aixa Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

